

展望未来 Brilliant Prospects

企业文化：

发展是硬道理
没有发展就没有汇友的一切
时时提高、事事提高
永不满足，抢占先机

Enterprise Culture:

Development is the absolute need
No development, no current Huiyou
Improve everything at any time
Never satisfied and take the preemptive opportunities

发展理念：

唯有创新提高，方能生存
用创新的方法，抢占发展的先机
创新就是力量，创新就是财富
创新就是企业发展动力

Development Philosophy:

Only by improving innovation, the company can survive
Use innovation to seize the opportunities of development
Innovation is power, innovation is wealth
Innovation is the driving force for the development of an enterprise


志存高远 自强不息
Soar into the sky, exert to the utmost!



Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
Tel: 86-531-83251117
Fax: 86-531-83251116
Mail: sales@jnhytj.com
MSN: mandysun1987@msn.cn
Website: <http://en.jnhytj.com>

Sample for read:

 **汇友建机**
HUI YOU CONSTRUCTION MACHINERY
instruction of catalogue
TC7040 **16T**
www.jnhytj.com



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	20	25	30	35	40	45	50	55	60	65	70	Jib length
				load at above Jib length											
70	IV	18.4	16	14.72	11.776	9.813	8	6.85	5.98	5.12	4.54	4.107	3.791	3.52	load at above Jib length
	II	35	8	8	8	8	8	7.00	6.222	5.60	5.091	4.666	4.308	4.00	load at above Jib length

机构特性 Mechanism Characteristics

起升 Hoisting	⬆️	m/min	Motor (kw)		550m
			15/30	30/60	
变幅 Trolleying	⬅️➡️	m/min	60/30/9		5/3.7/1.1
回转 Slewing	🌀	r/min	0.6		2 × 9
顶升 Jacking-up	⬆️	m/min	0.4		15
电源 Power Supply			380V/50Hz		
供电容量 Power Capacity			89.5		

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
Tel: 86-531-83251117
Fax: 86-531-83251116
Mail: sales@jnhytj.com
MSN: mandysun1987@msn.cn
Website: http://en.jnhytj.com

QTZ3808/4206 Topkit Tower Crane



TC3808/4206

3T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42
42	II	12	3	2.420	2.090	1.842	1.633	1.465	1.325	1.205	1.103	1.015	0.937	0.869	0.808	0.755	0.706	0.66
38	II	12	3	2.621	2.267	1.991	1.770	1.590	1.439	1.312	1.203	1.114	1.026	0.953	0.888	0.830		

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
 m/min: 46/23/5 t: 1.5/3 Motor (kw): 15 280m	 m/min: 16.5/24.6 1.5/2.2	 r/min: 0.76/0.38 2.6/3.7	 m/min: 0.5 3	380V/50Hz	23.5

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ4208/4708/4810 Topkit Tower Crane



TC4208/4708/4810

4T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	14	18	22	26	30	34	38	42	46	46.8	48
48	IV	11	4	3.090	2.360	2.027	1.869	1.711	1.553	1.395	1.237	1.079	1.050	1.00
	II	20	2	2	2	2.027	1.869	1.711	1.553	1.395	1.237	1.079	1.050	1.00
46.8	IV	11	4	3.090	2.360	1.897	1.567	1.340	1.159	1.017	0.902	0.807	0.790	
	II	20	2	2	2	1.897	1.567	1.340	1.159	1.017	0.902	0.807	0.790	
42	IV	11	4	3.09	2.36	1.90	1.54	1.28	1.08	0.93	0.80			
	II	20	2	2	2	1.90	1.54	1.28	1.08	0.93	0.80			

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
 m/min t	 m/min	 r/min	 m/min	380V/50Hz	25.82
32.14/15.60/3.5 2/4	38.6/25.2	0.70/0.35	0.4		
Motor (kw)					
15/15/4	2.2/1.5	3.7	4		
400m					

内销电话 Domestic sales Tel :86-531-86388588 83251877
 外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ5008/5010 Topkit Tower Crane



TC5008/5010

5T



起重量载荷表 Load Capacity

Topkit

Jib m	倍率 Fall	R(Cmax) m	C(max) t	15	20	25	30	35	40	45	50
50	IV	11	5	3.400	2.180	1.680	1.396	1.177	1.013	0.885	0.800
	II	17.500	2.500	2.500	2.100	1.680	1.396	1.177	1.013	0.885	0.800
50	IV	11	5	4.080	2.272	1.923	1.667	1.471	1.190	1.086	1.026
	II	17.500	2.500	2.500	2.174	1.923	1.667	1.471	1.190	1.086	1.000

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
m/min t 32.14/15.60/3.5 2/4	m/min 38.6/25.2 2.2/1.5	r/min 0.70/0.35 3.7	m/min 0.4 4	380V/50Hz	25.82

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ5013/5610 Topkit Tower Crane



TC5013/5610

6T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	14	18	22	26	30	34	38	42	46	50	52	54	56
56	IV	12.74	6	5.40	4.06	3.22	2.65	2.23	1.92	1.67	1.47	1.31	1.17	1.11	1.05	1.00
	II	24	3	3	3	3	2.65	2.23	1.92	1.67	1.47	1.31	1.17	1.11	1.05	1.00
50	IV	12.74	6	6	5.044	4.036	2.965	2.500	2.150	1.870	1.630	1.460	1.30			
	II	24	3	3	3	3	3	2.50	2.15	1.87	1.63	1.46	1.30			

机构特性 Mechanism Characteristics

起升 Hoisting	Motor (kw)	400m	
		40/20/4.25	80/40/8.5
变幅 Trolleying	24	20/40	2.2/3.3
回转 Slewing	400m	0.6	2 x 3.7
顶升 Jacking-up		0.55	7.5
电源 Power Supply		380V/50Hz	
供电容量 Power Capacity		42.3	

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ5513/6010 Topkit Tower Crane



TC5513/6010

8T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	16	20	24	28	32	36	40	44	48	52	54	55	56	58	60
60	IV	13.22	8	6.469	5.012	4.040	3.346	2.826	2.421	2.098	1.833	1.612	1.425	1.342	1.303	1.205	1.106	1.000
	II	24	4	4	4	4	3.346	2.826	2.421	2.098	1.833	1.612	1.425	1.342	1.303	1.205	1.106	1.000
55	IV	13.22	8	6.469	5.012	4.040	3.346	2.826	2.421	2.098	1.833	1.612	1.425	1.342	1.303			
	II	24	4	4	4	4	3.346	2.826	2.421	2.098	1.833	1.612	1.425	1.342	1.303			

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
m/min t 40/20/4.25 4/8	m/min 40/20	r/min 0.6	m/min 0.4	380V/50Hz	48.2
Motor (kw)	30	2 × 3.7	7.5		

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ5515/6013 Topkit Tower Crane



TC5515/6013

8T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	18	22	26	30	34	38	42	46	50	54	55	56	58	60
60	IV	14	8	5.99	4.73	3.88	3.26	2.80	2.43	2.13	1.89	1.69	1.52	1.48	1.44	1.37	1.30
	II	24	4	4	4	3.90	3.28	2.82	2.45	2.15	1.91	1.71	1.54	1.46	1.42	1.39	1.32
55	IV	14	8	6.07	4.80	3.93	3.31	2.84	2.46	2.17	1.92	1.71	1.54	1.50			
	II	24	4	4	4	3.95	3.33	2.86	2.48	2.19	1.94	1.73	1.56	1.52			

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
 m/min t	 m/min	 r/min	 m/min	380V/50Hz	48.2
40/20/4.25 4/8	40/20	0-0.6	0.5		
80/40/8.5 2/4	3.3/2.2	2 × 3.7	7.5		
Motor (kw)					
30					
420m					

内销电话 Domestic sales Tel :86-531-86388588 83251877
 外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ6015 Topkit Tower Crane



TC6015

8T



Topkit

起重载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	18	22	26	28	30	34	38	42	46	50	54	55	56	58	60
60	IV	15	8	6.55	5.22	4.29	3.93	3.62	3.10	2.69	2.36	2.09	1.86	1.66	1.66	1.58	1.50	1.42
	II	28	4	4	4	4	4	3.70	3.18	2.77	2.44	2.17	1.94	1.84	1.70	1.66	1.58	1.50
55	IV	15	8	6.86	5.47	4.51	4.13	3.80	3.26	2.84	2.49	2.21	1.97	1.77	1.72			
	II	29	4	4	4	4	4	3.88	3.34	2.92	2.57	2.29	2.05	1.85	1.80			

机构特性 Mechanism Characteristics

起升 Hoisting	⬆️	m/min t	40/20/4.25 4/8	80/40/8.5 2/4	Motor (kw)	30 420m
变幅 Trolleying	⬅️➡️	m/min	40/20		3.3/2.2	
回转 Slewing	🔄	r/min	0-0.6		2 × 3.7	
顶升 Jacking-up	⬆️	m/min	0.5		7.5	
电源 Power Supply			380V/50Hz			
供电容量 Power Capacity			48.2			

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ6018/6515 Topkit Tower Crane



TC6018/6515

10T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	15	20	25	30	35	40	45	50	55	60	65
65	IV	14.867	10	9.903	7.192	5.565	4.480	3.706	3.125	2.673	2.311	2.015	1.769	1.487
	II	27.155	5	5	5	4.446	3.691	3.125	2.684	2.332	2.043	1.803	1.500	
60	IV	14.867	10	9.903	7.192	5.565	4.480	3.706	3.125	2.673	2.311	2.015	1.769	
	II	27.155	5	5	5	4.446	3.691	3.125	2.684	2.332	2.043	1.803		

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
m/min t 50.05/25.02 5/10 Motor (kw) 37 500m	m/min 58.6/29.3/8.79 5/3.7/1.1	r/min 0.61 3.7×2	m/min 0.4 7.5	380V/50Hz	56.9

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ6024/6518 Topkit Tower Crane



TC6024/6518

12T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	15	20	25	30	35	40	45	50	55	60	65
65	IV	13	12	10.210	7.920	6.149	4.968	4.125	3.492	3.000	2.606	2.284	2.016	1.789
	II	26	6	6	6	6	4.198	4.096	3.480	3.000	2.660	2.303	2.041	1.820
60	IV	15	12	12	8.530	6.600	5.310	4.415	3.690	3.175	2.760	2.555	2.350	
	II	26	6	6	6	6	5.310	4.415	3.740	3.175	2.810	2.560	2.400	

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Stewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
 m/min t	 m/min	 r/min	 m/min	380V/50Hz	72.8
6-100 5	60/30/9	0-0.6	0.5		
Motor (kw)					
51.5	5/3.7/1.1	2 x 4.4	7.5		

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ7030 Topkit Tower Crane



TC7030

16T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	20	25	30	35	40	45	50	55	60	65	70
70	IV	16.1	16	12.568	9.723	7.827	6.473	5.457	4.667	4.035	3.517	3.086	2.722	2.409
	II	31	8	8	8	8	6.983	5.993	5.222	4.606	4.102	3.681	3.326	3.021

机构特性 Mechanism Characteristics

起升 Hoisting	⬆️	m/min t	Motor (kw)		550m
			15/30 16/8	30/60 8/4	
变幅 Trolleying	⬅️➡️	m/min	60/30/9		5/3.7/1.1
回转 Slewing	🌀	r/min	0.6		2 × 9
顶升 Jacking-up	⬆️	m/min	0.4		15
电源 Power Supply			380V/50Hz		
供电容量 Power Capacity			89.5		

内销电话 Domestic sales Tel :86-531-86388588 83251877
 外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTZ7040 Topkit Tower Crane



TC7040

16T



Topkit

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	20	25	30	35	40	45	50	55	60	65	70
				70	IV	18.4	16	14.72	11.776	9.813	8	6.85	5.98	5.12
	II	35	8	8	8	8	8	7.00	6.222	5.60	5.091	4.666	4.308	4.00

机构特性 Mechanism Characteristics

起升 Hoisting	m/min	Motor (kw)	
		15/30	30/60
变幅 Trolleying	m/min	60/30/9	5/3.7/1.1
回转 Slewing	r/min	0.6	2 × 9
顶升 Jacking-up	m/min	0.4	15
电源 Power Supply	380V/50Hz		
供电容量 Power Capacity	89.5		

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTD125 Luffing Tower Crane



D125

10T



Luffing

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	20	25	30	35	40	45	50
50	IV	31	5	5	5	5	4	2.99	2.32	2.00
	II	18	10	9.09	7.05	5.35	4	2.99	2.32	2.00
45	IV	31	5	5	5	5	4.22	3.26	2.65	
	II	18	10	9.12	7.14	5.51	4.22	3.26	2.65	

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
m/min t 40/20 5/10 Motor (kw) 37 600m >600m	m/min 1 min 40S 35	r/min 0.7 2 × 5	m/min 0.4 7.5	380V/50Hz	89.5

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTD160 Luffing Tower Crane



D160

12T



起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	20	25	30	35	40	45	50	55	60
60	IV	17.0	12.0	10.0	7.50	6.00	4.90	4.10	3.50	3.00	2.50	2.00
	II	30.0	6.00	6.00	6.00	5.00	4.30	3.70	3.20	2.70	2.20	

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
 m/min t	 m/min	 r/min	 m/min	380V/50Hz	104
30/60 6/3	1 min 40S	0.7	0.4		
Motor (kw)		2 × 5			
600m >600m					
51.5	35		7.5		

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTD260 Luffing Tower Crane



D260

16T



Luffing

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	15	20	25	30	35	40	45	50	55	60
60	IV	-	-	-	-	-	-	-	-	-	-	-	-
	II	22.8	8.00	8.00	8.00	7.33	6.15	5.21	4.52	3.98	3.55	3.20	2.90
50	IV	15.7	16.00	16.00	13.75	10.56	8.60	7.12	6.02	5.28	4.70		
	II	31.2	8.00	8.00	8.00	8.00	8.00	7.14	6.22	5.48	4.90		

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
 m/min t	 m/min	 r/min	 m/min	380V/50Hz	163
32/64 8/4	1 min 40S	0.7	0.4		
Motor (kw)					
75	55	2 × 9	15		
600m > 600m					

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTD300 Luffing Tower Crane



D300

16T



起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) _m	C(max) _t	15	20	25	30	35	40	45	50	55	60
60	IV	-	-	-	-	-	-	-	-	-	-	-	-
	II	29.1	8.00	8.00	8.00	8.00	7.75	6.58	5.72	5.05	4.51	4.08	3.70
50	IV	18.7	16.0	16.0	14.87	11.78	9.72	8.24	7.14	6.28	5.60		
	II	36.9	8.00	8.00	8.00	8.00	8.00	8.00	7.34	6.48	5.80		

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
m/min t 30/60 8/4 Motor (kw) 90 600m > 600m	m/min 1 min 40S 55	r/min 0.7 2 × 9	m/min 0.4 15	380V/50Hz	178

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTP5020/5515 Topless Tower Crane



P5020/5515

8T



Topless

起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	25	30	35	40	45	50	55
55	IV	13.34	8.00	3.85	3.10	2.65	2.15	1.90	1.60	1.35
	II	25.03	4.00	4.00	3.25	2.8	2.30	2.05	1.75	1.50
50	IV	14.69	8.00	4.36	3.50	3.00	2.47	2.18	1.85	
	II	27.67	4.00	4.00	3.65	3.15	2.62	2.33	2.00	

机构特性 Mechanism Characteristics

起升 Hoisting	变幅 Trolleying	回转 Slewing	顶升 Jacking-up	电源 Power Supply	供电容量 Power Capacity
m/min t 40/20/4.25 4/8	m/min 40/20	r/min 0.6	m/min 0.5	380V/50Hz	48.2
Motor (kw)					
30	3.3/2.2	3.7 x 2	7.5		
420m					


内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113



Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTP6020 Topless Tower Crane



起重量载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	30	35	40	45	50	55	60
60	IV	16.1	10.0	4.89	4.25	3.43	2.85	2.40	2.20	1.90
	II	29.5	5.00	5.00	4.36	3.54	2.96	2.51	2.31	2.00

机构特性 Mechanism Characteristics

起升 Hoisting	m/min	Motor (kw)	
		50/100	25/50
变幅 Trolleying	m/min	58.6/29.3/8.79	5/3.7/1.1
回转 Slewing	r/min	0-0.7	3.7 x 2
顶升 Jacking-up	m/min	0.4	7.5
电源 Power Supply	380V/50Hz		
供电容量 Power Capacity	56.9		

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113




Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com

QTP7030/7427 Topless Tower Crane



P7030/7427

18T



起重载荷表 Load Capacity

Jib m	倍率 Fall	R(Cmax) m	C(max) t	30	34	40	44	50	54	60	64	70	74
74	IV	14.3	18.0	7.01	6.16	5.05	4.48	3.80	3.43	2.98	2.72	2.39	2.20
	II	25.9	9.00	7.66	6.66	5.55	4.98	4.30	3.93	3.48	3.22	2.89	2.70
70	IV	14.6	18.0	7.42	6.39	5.25	4.66	3.96	3.58	3.11	2.84	2.50	
	II	26.7	9.00	7.92	6.89	5.75	5.16	4.46	4.08	3.61	3.34	3.00	

机构特性 Mechanism Characteristics

起升 Hoisting	Motor (kw)	m/min		t	
		34/58/92	17/29/46	6/6/2.5	18/12/5
变幅 Trolleying	7.5	m/min		0-69	
回转 Slewing	2 x 9	r/min		0-0.7	
顶升 Jacking-up	15	m/min		0.4	
电源 Power Supply	380V/50Hz				
供电容量 Power Capacity	120				

内销电话 Domestic sales Tel :86-531-86388588 83251877

外销电话 Export sales Tel :86-531-83251116 83251115 83251117 83251113



Address: Zheshan Industrial Park, Mingshui, Jinan, Shandong, China
 Tel: 86-531-83251117
 Fax: 86-531-83251116
 Mail: sales@jnhytj.com
 MSN: mandysun1987@msn.cn
 Website: http://en.jnhytj.com